


## Cord Operated Curtain Pole System

# Silent Gliss® 6120M Metropole 30mm




### Product Information

- Cord operated system for domestic and contract applications
- 6120 can be bent to a small radius for bay windows etc
- For light to medium weight curtains
- Made to measure
- Profile length 6m (chrome effect and classic gold in 4m, oak effect 5m)
- Choice of 13 different finishes - cream, bronze, antique bronze, chrome effect, gunmetal, anodised silver, black, white, steel grey, sand, taupe, classic gold and oak effect
- Wide range of finials, midials and holdbacks in contemporary or traditional styles
- Easily fitted to wall or ceiling fix
- Suitable for use with Wave Standard and Wave XL curtain heading systems



6120M

## Profile, Bending and Specification Information



6106




Standard radius 300mm  
Wave XL: Min. radius 500mm

**Note:** It is important to observe the minimum bending radius for Wave XL. The system will not function with a smaller radius.

**Specification Information - for download refer to [www.silentgliss.co.uk](http://www.silentgliss.co.uk) (password required).**



Silent Gliss 6120 curtain track, cord drawn, aluminium, assembled complete with gliders 6143 at 10/m. Metal overlap arm 6003, pulley set 6119, cord 3091, pilot 6534 and endstops 6065. Face fix with bracket 3134/top fix with bracket 6138P each screwed to timber/plugged and screwed to block/concrete at 600mm centres. Finished in black, white, cream, taupe, steel grey, sand, bronze, antique bronze, classic gold, gunmetal, chrome effect, anodised silver and oak effect.

## How To Measure



## Stack Size Calculation Wave Standard

6120M



a = Stack depth  
b = Stack size  
c = Min. distance

Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
6	10	1.9	10	23 per metre of track + endpiece	8
6	12	2.2	12	23 per metre of track + endpiece	9
8	14	2.0	14	18 per metre of track + endpiece	10
8	16	2.2	16	18 per metre of track + endpiece	11


### Wave standard with roller gliders

Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
8	14	2.0	14	21 per metre of track + endpiece	10
8	16	2.2	16	21 per metre of track + endpiece	11

(dimensions in cm)

**Note:** Minimum distance (c) allows a standard 4.5cm clearance (front and back).

## Stack size calculation Wave XL



a = Stack depth 35cm  
b = Stack size  
c = Min. distance 22cm

System width		77-107	108-143	144-179	180-215	216-251	252-287	288-323	324-359	360-395
	b	28	33	38	43	48	53	58	63	68
System width		396-431	432-468	469-503	504-539	540-575	576-600			
	b	73	78	83	88	93	98			
System width		154-217	218-289	290-361	362-433	434-505	506-577	578-600		
	b	28	33	38	43	48	53	58		

(dimensions in cm)

## System Dimensions

### Maximum curtain weights

Standard Application with Glider

	1 m	2 m	3 m	4 m	5 m	6 m
	9	9	8	8	7	7
	10	10	9	9	8	8
	7	7	6	6	5	5
	8	8	7	7	6	6
	4	4	3	3	2	2
	5	5	4	4	3	3
	3	3	2	2	1	1
	4	4	3	3	2	2

(kg max.)

Standard Application with Roller/ Wave Roller

	1 m	2 m	3 m	4 m	5 m	6 m
	12	11	11	11	10	10
	13	13	12	11	11	10
	9	8	8	8	7	7
	10	9	9	9	8	8
	6	5	5	5	4	4
	7	6	6	6	5	5
	5	4	4	4	3	3
	6	5	5	5	4	4

(kg max.)




6120M

### Wave and Wave XL maximum curtain weights

Maximum curtain weight when using Wave/ Wave XL curtain heading is 2.5kg/m unless the weight in above table is less in which case follow table. A greater weight may be achieved using wave roller glider 6098W (refer to table above right).


## Design Options

### Finials




Finials are decorative elements that fit on at the end of the pole. Metropole corded is available with the finial options of ball end, urn, spear or any of the Woodend finials.

Please refer to the specific Metropole brochure for more detail and colour options.




- A: Without finials, endsets matching the colour of the pole will be applied 36mm
- B: 0719 Real Wood Spear (available in a wide range of finishes) 135mm
- C: 0556 Ball End (available in a wide range of finishes) 70mm
- D: 0891 Strata 73mm (available in all pole finishes)
- E: 0582 Groove Ball (pair) 95mm (available in a wide range of finishes)

## Midials




Midials are a curtain pole decoration projecting in front of the pole.

Please refer to the specific Metropole brochure for more detail and colour descriptions.



- A: 0M400 Discus Glass (100mm - red, white, amber, purple, lilac)
- B: 0M800 Vega Square 80mm
- C: 0M900 Vega Circle 80mm

## Holdbacks




Midial designs can be used on matching holdback arms.

Please refer to the specific Metropole brochure for more detailed and colour descriptions.

- A: 0HB40 Discus Glass (red, white, amber, purple, lilac) 100mm
- B: 0HB80 Vega Square 80mm
- C: 0HB90 Vega Circle 80mm


6120M

## Wave Standard curtain heading system



Wave Standard is an exciting new contemporary curtain heading system which allows curtains to hang in a continuous wave which is smooth, simple and elegant.

When using the Wave curtain heading system please note the maximum recommended curtain weight is 2.5kg/m. A greater weight may be achieved using wave roller glider 6098W (refer to System Dimensions).





The Wave Standard components are:

- 6345 Glider cord 60mm
- 6346 Glider cord 80mm
- 3582 Hook
- 6349 Curtain tape
- 6363 Iron on top hemming tape
- 6007 End stop
- 6315 Pilot runner

Additional optional Wave components:

- 6364 Extension (for use with 6365)
- 6365 Hanger (for use with 6364)
- 10075 Lead weight for bottom hem 50gr/m
- 10076 Fabric weight for side of curtain
- 6098W Wave roller glider 80mm

## Wave XL curtain heading system



Wave XL is especially designed for high and large application areas through generously designed waves with large cross section dimensions.

The Wave XL components are:

- 2216 Cord 0.85mm
- 6007 End stop
- 6349 Curtain tape
- 6363 Iron-on tape
- 6383 Limit stop
- 6391 Hanger
- 6392 Heading film
- 6393 Glider
- 6394 Carrier
- 6395 Extension

Additional optional Wave XL components:


- 6398 Clip



6120M

## Fitting Information


### Bracket positioning



The fixing points for both bracket styles are identical.

For the standard bracket 3134/2-3136/2 or the ultra brackets 6133 and 6134


## Fitting of track to brackets




- A: Using brackets 3134/2 - 3136/2
- B: Using pillar bracket 0674
- C: Using midial bracket 0797A

## Fitting Options


### Wall fix with brackets 3134/2-3136/2



	X (mm)
3134/2	52
3135/2	72
3136/2	92




3134/2-3136/2  
Extension brackets




6141  
Track insert (uses  
screw 0798)


### Wall fix with adjustable bracket 0537



	X (mm)
0537	80-100



0537  
Adjustable bracket




6141  
Track insert (uses  
screw 0798)




6120M


### Wall fix with Pillar bracket 0674



	X (mm)
0674	80





0674  
Pillar bracket



6141  
Track insert (uses  
screw 0798)

## Ceiling fix with support 6138P2





6138P2 (9mm)  
Ceiling support set

Please note: for ceiling fixing with midials, use bracket 3134/b

The final distances may be outside of the recommendations above depending on curtain make-up and any obstructions.

For Wave XL fix the track at least 22cm from the wall.

## Ceiling fix with support 6138P6



6138P6  
Ceiling support set  
(6mm)

Please note: for ceiling fixing with midials, use bracket 3134/b

The final distances may be outside of the recommendations above depending on curtain make-up and any obstructions.

For Wave XL fix the track at least 22cm from the wall.

## Standard Accessories



6120M

3091 Cord



3133 Bracket cover (60mm)



6063 Metal overlap arm



6065 Twist eye endstop



6106 Profile



6141 Track insert (uses screw 0798)



6143 Glider 6144 in strip form



6784 Machine screw (for 6141 insert)

10400 Safety Cord Retainer



3134/2 Pole extension bracket (60mm - all colours)



## Sets

6119 Guide returns, containing;  
Depending on finials used this set may vary (6119F,  
6119F/2)

0709 Endset cover for wood 2



3827	Bearing	2	
6113	Case	2	
6114	Cover (ø 40mm)	2	
6354	Pilot runner	2	

## Optional Accessories






### Single Parts

6138P2 (9mm)	Ceiling support set		0537	Adjustable bracket	
0556	Ball end finial		0582	Groove Ball 6120 (pair)	
0674	Pillar bracket		0719	Spears finial	
0770	Finial connecting bracket		0891	Strata (cord operated)	
0987	Groove Ball 6120 unslotted		0988	Groove Ball 6120 slotted	
3340	Cord/Chain weight (not for use with 4845 metal bead chain)		6283	Roller glider	
0HB10	Bamboo holdback		0HB40	Glass discus holdback	
0HB80	Vega square holdback		0HB90	Vega circle holdback	
0M400	Glass discus midial		0M800	Vega square midial	
0M900	Vega circle midial		3134/b	Midial ceiling fix bracket	
3135/2	Pole extension bracket (80mm - all colours)		3136/2	Pole extension bracket (100mm - all colours)	
6138p6	Ceiling support set (6mm)				





















6120M



## Sets

6165	Intermediate pulley, containing	0708	Intermediate pulley cover	1	
		3810	Pulley	2	
		6103	Profile	1	
		6164	Clamping piece	1	
		6169	Holder	1	


## Wave Accessories

2216	Cord		3582	Hook	
6007	Endstop		6315	Pilot runner	
6345	Wave glider cord (60mm)		6346	Wave glider cord (80mm)	
6349	Wave curtain heading tape		6363	Top hemming tape	
6364	Extension		6365	Hanger	
6383	Limit stop		6391	Hanger	
6392	Heading film		6393	Glider	
6394	Carrier		6395	Extension	
6398	Clip		10075	Lead weight 50 gr/m	
10076	Fabric weight		6098W	Wave roller glider cord (80mm)	

6120M

## Useful measurements

6063 Metal overlap arm



6120M