



# SG 6130M

---



## PRODUCT INFORMATION

- **Operation:** hand
- **Range:** M - L
- **Fitting:** ceiling, wall
- **Colours:** white RAL 9016, various colours / finishes
- **Fabrics:** refer to Silent Gliss fabric collection


### **Features:**

- 2-component (2C) glider technology
- Wave (2C)
- Matching endcaps and brackets / bracket covers
- Range of decorative finials
- Bendable

# SYSTEM SPECIFICATIONS

## A. PROFILE

Profile and bending information




SG 6103p

Profile



Radius:  
>30 cm

## B. HOW TO MEASURE



A: System width includes finials

B: System height

C: Distance between floor and fabric

## C. SPECIFICATION

### TEXT

**Silent Gliss SG 6130 'Metropole' hand operated curtain track system.** Comprises 30mm aluminium profile SG 6103 supplied made to measure with 2C gliders SG 11300 at 14/m, 2 no. flush end covers SG 20346 and 2 no. end stops SG 6065.


Straight poles supplied as standard with wall 'face' fix Smart Fix brackets SG 11206 at max. 600mm centres. Optional wall fix brackets SG11207-11208 / SG 11216-11218 / SG 11209 / Maxi bracket SG 20334 / Blok bracket SG 20989 / Pillar bracket SG 20674. Bent systems for wall 'face' fix supplied as standard with adjustable Smart Fix bracket SG 11209. Ceiling 'top' fix with bracket SG 6151 / SG 20335 at max. 600mm centres. Finished in Ecru, Bronze, Antique Bronze, Gunmetal, Black, Charcoal, Anodic Grey, Slate Grey, Matt White, White, Sand, Ochre, Chrome Effect, Anodised Silver or Taupe. A range of decorative finials are available. Silent Gliss Wave option is available using 60mm glider cord SG 11303 / 80mm glider cord SG 11302 / 80mm roller glider cord SG 6099.

# FITTING

## A. FITTING INFORMATION



For detailed fitting information, visit the *Silent Gliss* website.

### Fixing points



## B. CEILING FITTING



### Support SG 6151



**SG 6151**

*Ceiling support set 3 mm*

### Top fix bracket SG 20335




**SG 20335**


*Top fix bracket*

## C. WALL FITTING


### Smart Fix



**Smart Fix with slot SG 11206 - SG 11208 and SG 6141:**  
Screw SG 20798 (M4x10) needed.




**Square Smart Fix with slot SG 11216 - SG 11218 and SG 6141:**  
Screw SG 20798 (M4x10) needed.




**Adjustable Smart Fix SG 11209 and SG 6141:**  
Screw SG 6784 (M4x8) needed.

*Note: all bent Metropole systems are supplied with adjustable bracket SG 11209 as standard.*




**Adjustable Square Smart Fix SG 11472 and SG 6141:**  
Screw SG 6784 (M4x8) needed.




**SG 6141**  
Clamping piece




**SG 6784**  
Hexagon socket countersunk screw M4x8 mm




**SG 11206**  
Smart Fix with slot 60 mm




**SG 11207**  
Smart Fix with slot 80 mm




**SG 11208**  
Smart Fix with slot 100 mm



**SG 11209**  
Adjustable Smart Fix




**SG 11216**  
Square Smart Fix with slot 60 mm




**SG 11217**  
Square Smart Fix with slot 80 mm

Smart Fix	X mm
SG 11206 / SG 11216	51
SG 11207 / SG 11217	71
SG 11208 / SG 11218	91
SG 11209 / SG 11472	80-100



**SG 11218**

Square Smart Fix with slot  
100 mm



**SG 11472**


Adjustable Square Smart Fix




**SG 20798**

Hexagon socket countersunk  
screw M4x10 mm

## Pillar bracket SG 20674



Screw SG 6784 (M4x8) needed.




**SG 6141**

Clamping piece



**SG 6784**


Hexagon socket countersunk  
screw M4x8 mm




**SG 20674**

Pillar bracket 115 mm

## Maxi adjustable bracket SG 20334




Screw SG 20798 (M4x10) needed.



**SG 6141**

Clamping piece



**SG 20334**



Maxi adjustable bracket




**SG 20798**

Hexagon socket countersunk  
screw M4x10 mm

## Blok bracket SG 20989




**SG 6141**  
Clamping piece



**SG 20989**  
Blok bracket

# DESIGN & SYSTEM OPTIONS


## A. ENDCAPS



Without finials, poles are supplied as standard with flush fitting endcaps SG 20346 (left).


Alternatively, stud endcaps SG 20707 (right) can be selected at no additional cost.

## B. FINIALS





Finials are decorative elements that fit on at the end of the pole.

Please refer to the *Metropole* brochure for full range details.



- A: SG 20873 Design Endcap 20mm
- B: SG 20556 Ball End 70mm
- C: SG 20719 Spear 135mm
- D: SG 20986 Groove Ball 85mm
- E: SG 20629 Groove Cylinder 85mm
- F: SG 20901 Strata 65mm
- G: SG 20886 Crystal Cube 55mm  
(green, black, brown)
- H: SG 20896 Crystal Cylinder 55mm  
(green, black, brown)
- I: SG 20995 Shard Clear 127mm
- J: SG 20995 Shard Etched 127mm
- K: SG 20311 Fused Barrel 102mm  
(walnut, oak, colour matched)
- L: SG 20324 Fused Ball 60mm  
(walnut, oak, colour matched)
- M: SG 20331 Glass Ball 55mm  
(clear, frosted)

## C. WAVE




SG 11295

SG 11302

### Standard components:

- SG 11295 End stop
- SG 11302 Wave 2C glider cord 80 mm



SG 2255


SG 6099

SG 6364

SG 6365

### Optional components:


- SG 2255 Brake
- SG 6099 Wave roller cord 80 mm
- SG 6364 Wave extension
- SG 6365 Wave hanger
- SG 6366 Wave carrier for draw rod
- SG 10430-34 Draw rod
- SG 11303 Wave 2C glider cord 60 mm



SG 6366

SG 10430-34


SG 11303



**Curtain components:**

- SG 3582 Hook
- SG 6349 Wave curtain tape
- SG 6363 Wave top hemming tape
- SG 10075 Lead weight 50 gr/m
- SG 10076 Fabric weigh

**Wave stack depth - 2C glider cord (standard components)**



2C Glider cord SG 11302	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
80	6	~2.1	140	180 per metre of track	90
80	7	~2.3	160	180 per metre of track	100

2C Glider cord SG 11303	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
60	4	~2.1	100	230 per metre of track	70
60	5	~2.3	120	230 per metre of track	80

*\*Stack size B when using optional extension arm increases by 95 mm per curtain stack!*



# GENERAL NOTES

## **Dimensions**

- Measurements are in mm except where indicated.
- Max. kg relates to fabric incl. accessories.
- Stack size depends on curtain make-up and fabric thickness.
- Distance between gliders max. 80 mm / distance between rollers max. 100 mm.
- Recommended distance floor / fabric: 20 mm.
- In order to determine system height (B), the smallest room height must be taken into account.

## **Fitting**


- Installation by qualified fitter only.
- Number of brackets and fitting positions / fixing points vary depending on fitting surface, system weight, fabric make-up, screw / fixing type and obstacles.
- Qualified fitter must use appropriate screws / fixings for each situation.
- Profile lip if applicable to be installed to room side.

## **Child Safety**

- All relevant Silent Gliss systems correspond to child safety EN 13120.
- All parties involved must comply with EN 13120.

# PARTS

## A. STANDARD PARTS



**SG 6065**

End stop




**SG 6103p**

Profile




**SG 6141**

Clamping piece




**SG 11206**

Smart Fix with slot 60 mm




**SG 11300**

2C glider



**SG 20346**


Flush endcap 30 mm



**SG 20798**

Hexagon socket countersunk screw  
M4x10 mm

## B. OPTIONAL PARTS




**SG 2255**

Brake




**SG 3582**

Hook



**SG 6099**

Wave roller cord 80 mm



**SG 6151**

Ceiling support set 3 mm




**SG 6283**

Roller




**SG 6349**

Wave curtain tape




**SG 6363**

Wave top hemming tape




**SG 6364**

Wave extension




**SG 6365**

Wave hanger




**SG 6366**

Wave carrier for draw rod



**SG 6784**

Hexagon socket countersunk screw  
M4x8 mm



**SG 10075**

Lead weight 50 g/m




**SG 10076**

Fabric weight




**SG 10430**

Draw rod 50 cm




**SG 10431**

Draw rod 75 cm




**SG 10432**

Draw rod 100 cm




**SG 10433**

Draw rod 125 cm




**SG 10434**

Draw rod 150 cm




**SG 11207**

Smart Fix with slot 80 mm




**SG 11208**

Smart Fix with slot 100 mm




**SG 11209**

Adjustable Smart Fix




**SG 11216**

Square Smart Fix with slot 60 mm




**SG 11217**

Square Smart Fix with slot 80 mm



**SG 11218**

Square Smart Fix with slot 100 mm



**SG 11295**

End stop




**SG 11301**

2C glider on strip




**SG 11302**

Wave 2C glider cord 80 mm




**SG 11303**

Wave 2C glider cord 60 mm



**SG 11472**

Adjustable Square Smart Fix




**SG 20311**

Fused barrel 102 mm



**SG 20324**

Fused ball 60 mm



**SG 20331**

Glass ball 55 mm




**SG 20334**

Maxi adjustable bracket




**SG 20335**

Top fix bracket



**SG 20556**

Ball end 70 mm




**SG 20629**

Groove cylinder 85 mm




**SG 20674**

Pillar bracket 115 mm




**SG 20707**

End cover 30 mm




**SG 20719**

Spear 135 mm




**SG 20770**

Finial connecting bracket




**SG 20873**

Design endcap 20 mm




**SG 20886**

Crystal cube 55 mm




**SG 20896**

Crystal cylinder 55 mm




**SG 20901**

Strata 65 mm



**SG 20986**

Groove ball 85 mm



**SG 20995**

Shard 127 mm