


Cord Operated Curtain Pole System

Silent Gliss® 6160M Metropole




Product Information

- Cord operated system for domestic and contract applications
- 6160M can be bent for bay windows etc
- For medium to heavy weight curtains
- Made to measure
- Choice of 7 different finishes - anodised silver, black, white, steel grey, taupe, antique bronze and oak effect
- Accessorised with matching endsets and coordinated or matching brackets/bracket covers
- A selection of finials are available
- Easy fitting to wall with adjustable brackets
- Suitable for use with Wave Standard and Wave XL curtain heading systems
- Maximum profile length 6m (oak effect 5m)



6160M

Profile, Bending and Specification Information




 Standard radius 600mm
(Incl. Wave XL)

Note: It is important to observe the minimum bending radius for Wave XL. The system will not function with a smaller radius.

Specification Information - for download refer to www.silentgliss.co.uk (password required).



Silent Gliss 6160M curtain track, cord drawn, aluminium, assembled with gliders 6143 10/m. Metal overlap arm 6003, pulley set 0644, cord 3091, pilot 6534 and endstops 6065. Face fix with bracket 0537/top fix with bracket 6138P2 each screwed to timber/plugged and screwed to block/concrete at 600mm centres. Finished in black, silver, steel grey, antique bronze, taupe, white and oak effect.

How to Measure



Stack size calculation Wave Standard

6160M



a = Stack depth
b = Stack size
c = Min. distance

Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
6	10	1.9	10	23 per metre of track + endpiece	8
6	12	2.2	12	23 per metre of track + endpiece	9
8	14	2.0	14	18 per metre of track + endpiece	10
8	16	2.2	16	18 per metre of track + endpiece	11


Wave standard with roller gliders

Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
8	14	2.0	14	21 per metre of track + endpiece	10
8	16	2.2	16	21 per metre of track + endpiece	11

(dimensions in cm)

Note: Minimum distance (c) allows a standard 4.5cm clearance (front and back).

Stack size calculation Wave XL



a = Stack depth 35cm
b = Stack size
c = Min. distance 22cm

System width		77-107	108-143	144-179	180-215	216-251	252-287	288-323	324-359	360-395
	b	28	33	38	43	48	53	58	63	68
System width		396-431	432-468	469-503	504-539	540-575	576-600			
	b	73	78	83	88	93	98			
System width		154-217	218-289	290-361	362-433	434-505	506-577	578-600		
	b	28	33	38	43	48	53	58		

(dimensions in cm)

System Dimensions

Maximum curtain weights

Standard Application with Glider

	1 m	2 m	3 m	4 m	5 m	6 m
	9	9	8	8	7	7
	10	10	9	9	8	8
	7	7	6	6	5	5
	8	8	7	7	6	6
	4	4	3	3	2	2
	5	5	4	4	3	3
	3	3	2	2	1	1
	4	4	3	3	2	2

(kg max.)

Standard Application with Roller/ Wave Roller

	1 m	2 m	3 m	4 m	5 m	6 m
	12	11	11	11	10	10
	13	13	12	11	11	10
	9	8	8	8	7	7
	10	9	9	9	8	8
	6	5	5	5	4	4
	7	6	6	6	5	5
	5	4	4	4	3	3
	6	5	5	5	4	4



(kg max.)

Wave and Wave XL maximum curtain weights

Maximum curtain weight when using Wave / Wave XL curtain heading is 2.5kg/m unless the weight in the above left table is less in which case follow table. A greater weight may be achieved using wave roller glider 6098W (refer to table above right).

Design Options

Finials





Finials are decorative elements that fit on at the end of the pole. 6160 corded metropole is available with the finial options of ball end, spear and strata.

Please refer to the Metropole brochure for more detail and colour options.

- A: 0644 Standard endset (37mm)
- B: 0717 Ball end finial (120mm)
- C: 0718 Spear finial (140mm)
- D: 0699 Strata finial (73mm)

Midials




Midials are a curtain pole decoration projecting in front of the pole.

Please refer to the specific Metropole brochure for more detail and colour descriptions.

A: OM400 Discuss Glass (100mm - red, white purple, lilac)
 B: OM800 Vega Square 80mm
 C: OM900 Vega Circle 80mm

Holdbacks




Midial designs can be used on matching holdback arms.

Please refer to the specific Metropole brochure for more detailed information and colour descriptions.

A: OHB40 Discus Glass (red, white, amber, purple, lilac) 100mm
 B: OHB80 Vega Square 80mm
 C: OHB90 Vega Circle 80mm

Wave Standard curtain heading system




6160M

Wave Standard is an exciting new contemporary heading system which allows curtains to hang in a continuous wave which is smooth, simple and elegant.

When using the Wave curtain heading system please note the maximum recommended curtain weight is 2.5kg/m. **A** greater weight may be achieved using wave roller glider 6098W (refer to 'System Dimensions').

The Wave Standard components are:



6345 Glider cord 60mm

6346 Glider cord 80mm

3582 hook

6349 Curtain tape

6363 Iron on top hemming tape

6007 End stop

6315 Pilot runner

Additional optional Wave components:

6364 Extension (for use with 6365)


6365 Hanger (for use with 6364)

10075 Lead weight for bottom hem 50gr/m


10076 Fabric weight for side of curtain

6098W wave roller glider 80mm

Wave XL curtain heading system



Wave XL is especially designed for high and large application areas through generously designed waves with large cross section dimensions.



The Wave XL components are:


- 2216 Cord 0.85mm
- 6007 End stop
- 6349 Curtain tape
- 6363 Iron-on tape
- 6383 Limit stop
- 6391 Hanger
- 6392 Heading film
- 6393 Glider
- 6394 Carrier
- 6395 Extension

Additional optional Wave XL components:

- 6398 Clip


Fitting Information

Bracket positioning



6160M


Fitting of track to bracket




Using adjustable bracket 0537.

Fitting Options


Wall fix with adjustable brackets 0537



	X (mm)
0537	80-100




0537
Adjustable bracket




6141
Track insert (uses
screw 0798)


Wall fix with brackets 3134/2-3136/2



	X (mm)
3134/2	52
3135/2	72
3136/2	92




3134/2
Pole extension
bracket (60mm - all
colours)




6141
Track insert (uses
screw 0798)

Ceiling fix with 6138P2



	X (mm)
	80-100



6138P2 (9mm)
Ceiling support set



6160M

Min. distance from wall when using Wave XL: 220mm

Standard Accessories

Parts

0537	Adjustable bracket		0701	Profile 50mm (corded)	
3091	Cord		3133	Bracket cover (60mm)	
6065	Twist eye endstop		6143	Glider 6144 in strip form	
6784	Machine screw (for 6141 insert)		10400	Safety Cord Retainer	

Sets

0644	Guide returns, containing: (Depending on finials used this set may vary).	0642	Cover	2	
		0641	Case	2	
		0643	Endset cover 50mm (wood/steel grey finish)	2	
		3827	Bearing	2	
		6354	Pilot runner	2	


Optional Accessories





Parts

6138P2 (9mm)	Ceiling support set		0647	Strata (cord) unslotted end set	
0699	Strata 50mm (slotted end)		0717	Ball end finial (50mm pole)	
0718	Spear finial (50mm pole)		3340	Cord/Chain weight (not for use with 4845 metal bead chain)	
6007	Endstop		6283	Roller glider	
0HB40	Glass discus holdback		0HB80	Vega square holdback	
0HB90	Vega circle holdback		0M400	Glass discus midial	
0M800	Vega square midial		0M900	Vega circle midial	
3134/2	Pole extension bracket (60mm - all colours)		3134/b	Midial ceiling fix bracket	
3135/2	Pole extension bracket (80mm - all colours)		3136/2	Pole extension bracket (100mm - all colours)	



6160M


Sets


0646	Intermediate pulley, containing:	0700	Profile 50mm	1	
------	----------------------------------	------	--------------	---	---


0645	Intermediate pulley cover	1	
6632	Connector	2	
3810	Pulley	2	
6164	Clamping piece	1	
6169	Holder	1	
0698	Strata (50mm) Corded Finial set containing:		
0647	Strata (cord) unslotted end set	1	
0699	Strata 50mm (slotted end)	1	


Wave Accessories


2216 Cord 


6007 Endstop 


6345 Wave glider cord (60mm) 


6349 Curtain tape 


6364 Extension 


6383 Limit stop 


6392 Heading film 

6394 Carrier 


6398 Clip 


10076 Fabric weight 


3582 Hook 


6315 Pilot runner 


6346 Wave glider cord (80mm) 


6363 Top hemming tape 


6365 Hanger 

6391 Hanger 

6393 Glider 

6395 Extension 


10075 Lead weight 50 gr/m 

6098W Wave roller glider cord (80mm) 


6160M

Useful Measurements

6063 Metal overlap arm



6160M