


## Hand Operated Curtain Track System

# Silent Gliss® 6465




### Product Information

- Operation: Hand
- Range: M
- Fitting: ceiling, wall, recess
- Colours: white
- Shape: square
- 2C glider technology
- Wave compatible
- Bendable




6465

## Profile and Bending Information




6466



Min. radius >25 cm  
Snake Wave option

### Recess profile



11231




Min. radius >25 cm

Specification text:

Silent Gliss SG 6465 Hand Drawn Curtain Track System. Comprises aluminium profile SG 6466 supplied made to measure powder coated in white with 2C gliders SG 11300 at 14/m. Top fix with clamp SG 3060. Recess fix with optional recess profile SG 11231. Silent Gliss Wave option is available using 60mm glider cord SG 11303 / 80mm glider cord SG 11302.

## System Options

### Wave Curtain Heading System



The Wave is an exciting contemporary curtain heading system which allows curtains to hang in a continuous wave which is smooth, simple and elegant.

Min. bending radius 28 cm when Wave is used!

The Wave standard components are:

11303 Wave 2C Glider Cord 60mm  
11302 Wave 2C Glider Cord 80mm  
6007 End stop  
6315 Pilot runner

The items listed below for Enhanced Wave (80mm glider cord only) are all supplied at an additional cost as per the price list.

2255 Adjustable brake  
6364 Extension (used with 6365)  
6365 Hanger (used with 6364)  
6366 Carrier for draw rod

Optional components to improve the presentation of the curtain:

3582 Hook  
6349 Curtain tape  
6363 Iron-on top hemming tape  
10075 Lead weight for hem of curtain 50gr/m  
10076 Fabric weight for side edge of curtain

6465




SG 2255



SG 3582




SG 6007



SG 6349




SG 6363




SG 6364



SG 6365




SG 6366




SG 10075



SG 10076



SG 11302




SG 11303

Supplied by

**SG-S** | Silent Gliss Spares  
Silent Gliss Systems

www.sg-s.co.uk email: sales@sg-s.co.uk tel: 01395 232528



## Fitting Information



The fixing distances are meant as a guide only: they may vary in practice, depending on surface and curtain weight.





## Fitting Options

### Ceiling fitting with clamp 3060




The distance indicated above refers to a fixing point at its closest point to the wall to permit the rotation of the clamp.

### Recess fitting




## Standard Accessories

3060 Clamp



3062 Connecting bridge



6465

6065 Twist eye endstop



6466 Profile



6471 End cover



11301 2C glider 11300 on strip (x20)



1148C Countersunk screw

## Optional Accessories


3582 Hook



3599 Hook



11231 Recess profile



11237 Wedge



11239 Recess Mask



## Wave Accessories

2255 Adjustable brake




6349 Curtain tape



6363 Top hemming tape




6364 Extension




6365 Hanger



6366 Wave carrier for draw rod




10075 Lead weight 50 gr/m




10076 Fabric weight



11302 Wave 2C glider cord 80 mm



11303 Wave 2C glider cord 60 mm



6465

Supplied by



www.sg-s.co.uk email: sales@sg-s.co.uk tel: 01395 232528

[www.silentgliss.co.uk](http://www.silentgliss.co.uk)

[www.silentglissglobal.com](http://www.silentglissglobal.com)

Silent Gliss Ltd  
Pyramid Business Park  
Poorhole Lane  
Broadstairs  
Kent  
CT10 2PT  
Great Britain

Tel: +44 (0) 1843 863571  
Fax: +44 (0) 1843 864503  
info@silentgliss.co.uk

Silent Gliss Global Ltd  
Pyramid Business Park  
Poorhole Lane  
Broadstairs  
Kent  
CT10 2PT  
Great Britain

Tel: +44 (0) 1843 874250  
Fax: +44 (0) 1843 874457  
info@silentglissglobal.com