

# Electric Curtain Track Systems



Supplied by

**SG-S** SILENTGLISS SPARES  
SILENTGLISS SYSTEMS

[www.sg-s.co.uk](http://www.sg-s.co.uk) email: [sales@sg-s.co.uk](mailto:sales@sg-s.co.uk) tel: 01395 232528

# Application Chart


Specification	Applications				Profile				Features / Options						Fitting Options			Fitting Surfaces		System					
	Weight Range	Single Stack	Pair Stack	Multiple Stack	Asymmetric	Profile Number	Dimensions in mm	Gliding Channel	Special Recess Profile available	Min. Bending Radius (mm)	Wave Glider-Cord	Roller or Gliders	Suitable for Bus Technology	Timer / IR Facility	Light Sensor	Radio Control	Manual Override	Ceiling Fix	Wall Fix		Recess Fix	Wood	Concrete	Suspended ceiling	
kg	●	●				2191		5.4	250	●			●	●		●		●	●		●	●		5090	
kg	●	●	●			2191		5.4	250	●	●		●	●	●	●		●	●	●	●	●	●	5200	
kg	●	●	●	●		5141		5.4	500		●		●	●	●			●	●		●	●		5220	
kg	●	●	●			2191		5.4	250	●	●	●	●	Optional		●	●	●	●	●	●	●	●	5400	
kg	●	●	●	●		5141		5.4	500		●	●	●	Optional		●		●	●		●	●		5420	
kg	●	●	●	●		5301		5.4	500		●		●	Optional		●		●	●		●	●		5300	
kg	●	●	●	●		5810		10	500		●					●			Wall or Floor			●	●		5800

Light-weight applications

Medium-weight applications

Heavy-duty applications

# Electric track load charts



The curtain heading must be completely below the track or the guarantee is invalid.



[www.silentgliss.co.uk](http://www.silentgliss.co.uk)

[www.silentglissglobal.com](http://www.silentglissglobal.com)

Silent Gliss Ltd  
Pyramid Business Park  
Poorhole Lane  
Broadstairs  
Kent  
CT10 2PT  
Great Britain

Tel: +44 (0) 1843 863571  
Fax: +44 (0) 1843 864503  
[info@silentgliss.co.uk](mailto:info@silentgliss.co.uk)

Silent Gliss Global Ltd  
Pyramid Business Park  
Poorhole Lane  
Broadstairs  
Kent  
CT10 2PT  
Great Britain

Tel: +44 (0) 1843 874250  
Fax: +44 (0) 1843 874457  
[info@silentglissglobal.com](mailto:info@silentglissglobal.com)