

Hand Operated Curtain Track Systems



Supplied by

SG-S SILENTGLISS SPARES
SILENTGLISS SYSTEMS

www.sg-s.co.uk email: sales@sg-s.co.uk tel: 01395 232528

Application Chart















Specification	Profile					Features / Options					Fitting Options				Fitting Surfaces			System		
	Weight Range	Profile Number	Dimensions in mm	Gliding Channel (mm)	Standard Bending Radius (mm)	Recess Profile	Wave Glider Cord	Retrofit Glider	Quick-Clip Glider	Roller Glider	Safety Glider	Picture Hanging System	Ceiling Fix	Recess Fix	Wall Fix	Direct Fixing	Wood		Concrete	Suspended ceiling
	1011		3.7	60	●		●						●		●	●				1011
	1012		3.7	100			●					●			●	●	●			1012
	1021		3.7	100			●							●	●	●				1021
	1025		3.7	100			●					●			●	●				1025
	1090		3.7	200			●					●	●		●	●	●			1090
	1080		3.7	100			●					●	●		●	●	●			1080
	1200			100				●				●	●		●	●	●			1200
	1221							●						●	●	●	●			1221




Supplied by


SG-S SILENTGLISS SPARES
SILENTGLISS SYSTEMS


www.sg-s.co.uk email: sales@sg-s.co.uk tel: 01395 232528

Weight Range	Profile				Features / Options						Fitting Options				Fitting Surfaces		System		
	Profile Number	Dimensions in mm	Gliding Channel (mm)	Standard Bending Radius(mm)	Recess Profile	Wave Glider Cord	Retrofit Glider	Quick-Clip Glider	Roller Glider	Safety Glider	Picture Hanging System	Ceiling Fix	Recess Fix	Wall Fix	Direct Fixing	Wood		Concrete	Suspended ceiling
 kg	1225							●				●			●	●	●		1225
 kg	1080		3.7	60						●			●		●	●			3600
 kg	3841		5.4	200		●						●	●		●	●	●		3840W
 kg	6021		5.4						●				●	●	●	●			6021
 kg	6290		5.4						●			●		●	●	●			6290
 kg	6243		5.4	200	●	●	●	●				●		●			●		6243
 kg	1280			200					●	●		●			●	●	●		1280

 Systems 1003, 6130 and 6140 are also hand drawn tracks but with a rounded profile; please refer to the Decorative Curtain Poles section of the catalogue.

 kg Light-weight applications

 kg Medium-weight applications

 kg Heavy-duty applications

Supplied by
 **SILENTGLISS SPARES**
SILENTGLISS SYSTEMS
www.sg-s.co.uk email: sales@sg-s.co.uk tel: 01395 232528



www.silentgliss.co.uk

www.silentglissglobal.com

Silent Gliss Ltd
Pyramid Business Park
Poorhole Lane
Broadstairs
Kent
CT10 2PT
Great Britain

Tel: +44 (0) 1843 863571
Fax: +44 (0) 1843 864503
info@silentgliss.co.uk

Silent Gliss Global Ltd
Pyramid Business Park
Poorhole Lane
Broadstairs
Kent
CT10 2PT
Great Britain

Tel: +44 (0) 1843 874250
Fax: +44 (0) 1843 874457
info@silentglissglobal.com